

8 in



THIS SIDE UP



- en** **Moisturising barrier cream,**
24% Silicone Blend
- de** **Feuchtigkeits-Schutzcreme,**
24 % Silikonmischung
- fr** **Crème protectrice hydratante,**
Mélange de silicone 24 %

REF MSCE092534

118 mL
x12



Medline International France SAS,
5 rue Charles Lindbergh,
44110 Châteaubriant, France
Distributed in Australia by: Medline International Two Australia Pty. Ltd.,
Sydney, Australia RB17BOL



THIS SIDE UP



- nl** **Hydraterende barrièrecrème,**
Mengsel van 24% siliconen
- it** **Crema barriera idratante,**
Miscela in silicone al 24%
- es** **Crema protectora hidratante,**
Mezcla de siliconas al 24%

REF MSCE092534

118 mL
x12

GTIN (01): 40888277344861



Exp (17): YYYY-MM-DD



Lot (10): XXX00W00



(01)40888277344861 (17)YYMM00(10)XXX00W00

4 in

Please note: PO# / Gross Wt# / Net Wt# should be stamped or stuck on case with "PO:" / "Gross Weight:" / "Net Weight:" icons

73 mm x 41 mm UDI Area -
Generate and Apply at Manufacture

Note for the printing :

Expiry date is to be written as follow : YYYY-MM-DD




FILE NAME: PKG_MSCE092531 Series_CAS_BOL
 DESIGNER: Marion Jolly
 DATE STARTED: 2016/11
 DATE COMPLETE:

PMS
COLORS
USED




Black




REVISION







DRAWING IS OUTSIDE VIEW

PROPERTY OF PEEK PACKAGING

DESIGN NO.	REV. NO.	STYLE	DIMENSIONS (LxWxD)	FLUTE/THICKNESS	MATERIAL
BL_118ml_Tube_STE	2	STE	1.813" x 1.813" x 6.75"	20 pt	SBS
CUSTOMER	DESIGNER	SALES REP	DIMENSIONS (LAY FLAT)		6221 Yarrow Dr., STE. A Carlsbad, CA, 92011 P: 760.438.1616 • F: 760.438.1555
Bocchi Laboratories	Tony Irrera	Misty Manalastas	7.844" x 11.813"		
NOTES	CREATION DATE	REVISION DATE			
N/A	03/28/2016	00/00/00			

DIMENSIONS ARE IN INCHES • DIMENSIONAL TOLERANCE +/- .125" • LEAD EDGE TO BE DETERMINED BY MFG


All text must be outlined.
 Acceptable artwork formats are:
 Adobe Illustrator (.ai) or Encapsulated Post Script (.eps)

	FILE NAME: PKG_MSCE092534_ECH_BOL DESIGNER: Marion Jolly DATE STARTED: 2015/03/20 DATE COMPLETE: 2015/11/18	PMS COLORS USED 2945 375 377 Black	CMYK  REVISION
---	--	--	---

NOTE: Lot + Expiration date to be imprinted on tube crimp area

Lot will be imprinted here

Expiration date will be imprinted here



<table border="1"> <tr> <th>PROOF NUMBER</th> <th>PROOF SIZE</th> </tr> <tr> <td>1</td> <td>100%</td> </tr> </table>	PROOF NUMBER	PROOF SIZE	1	100%	FILE INFORMATION FILE NAME: T-40 CLIENT: customer code STARTED: 2013.6.17 CGP MODIFIED: 00/00/00 CGP SOFTWARE: ai by Illustrator CS cdr by Coreldraw 9 EXPROT: PDF	PROJECT INFORMATION TUBE DIAMETER: \varnothing 40 mm TUBE LENGTH: 145 mm PRINT INFORMATION OFFSET: _____ COLOR _____ SILK-SCREEN: _____ COLOR _____ <input type="checkbox"/> TUBE COLOR	Hot Stamping <input type="checkbox"/> Silver <input type="checkbox"/> Gold <input type="checkbox"/> Other Metallic Color 5 mm unvarnished from bottom INTERNAL APPROVAL Design: <u>ye</u> Proof: _____ UPC Test: _____ Verify: _____ RELEASE DATE: _____ <input checked="" type="checkbox"/> DIELINE DOES NOT PRINT	CLIENT APPROVAL CHECKLIST <input type="checkbox"/> DieLine <input type="checkbox"/> Copy <input type="checkbox"/> Colors <input type="checkbox"/> UPC <input type="checkbox"/> Photography <input type="checkbox"/> Illustration <input type="checkbox"/> Eye Mark client signature: _____ date: _____ IMPORTANT: This art has been checked and proofed for accuracy. It is the responsibility of the client to make all final approvals before the release of this art. PLEASE DOUBLE CHECK FOR ACCURACY.
	PROOF NUMBER	PROOF SIZE						
	1	100%						