



## PluroGel® Burn and Wound Dressing

### Clinical

1. Ratliff CR. Management of a Groin Wound Using a Concentrated Surfactant-Based Gel Dressing. *J Wound Ostomy Continence Nurs*. 2018 Sep/Oct;45(5):465-467. doi: 10.1097/WON.0000000000000467.  
**Abstract:** <https://www.ncbi.nlm.nih.gov/pubmed/30086104>
2. Ratliff CR. Case series of 18 patients with lower extremity wounds treated with a concentrated surfactant-based gel dressing. *Journal of Vascular Nursing*. 2017 Sept. In Press.  
**Abstract:** <http://www.sciencedirect.com/science/article/pii/S1062030317301164>

### Biofilm

1. Ghatak P, Mathew-Steiner SS, Pandey P, Roy S, Sen CK. A surfactant polymer dressing potentiates antimicrobial efficacy in biofilm disruption. *Nature Scientific Reports*. 2018; 8:873. DOI:10.1038/s41598-018-19175-7  
**Full Article:** <https://www.nature.com/articles/s41598-018-19175-7.pdf>
2. Yang Q, Schultz GS, Gibson D. A Surfactant-Based Dressing to Treat and Prevent *Acinetobacter Baumannii* Biofilms. *Journal of Burn Care & Research*. irx041,  
<https://doi.org/10.1093/jbcr/irx041>  
**Abstract:** <https://academic.oup.com/jbcr/advance-article/doi/10.1093/jbcr/irx041/4693766>
3. Percival SL, Mayer D, Malone M, Swanson T, Gibson D, Schultz G. Surfactants and their role in wound cleansing and biofilm management. *J Wound Care*. 2017 Nov 2;26(11):680-690. doi: 10.12968/jowc.2017.26.11.680.  
**Abstract:** <https://www.ncbi.nlm.nih.gov/pubmed/29131752>
4. Percival SL, Mayer D, Salisbury AM. Efficacy of a surfactant-based wound dressing on biofilm control. *Wound Repair Regen*. 2017 Aug 30. doi: 10.1111/wrr.12581. [Epub ahead of print]  
**Abstract:** <https://www.ncbi.nlm.nih.gov/pubmed/28857343>
5. International Wound Infection Institute (IWII). Wound Infection in Clinical Practice: Principles of best practice. *Wounds International*. Nov 2016.  
**Full Article:** <http://www.woundinfection-institute.com/wp-content/uploads/2017/03/IWII-Wound-infection-in-clinical-practice.pdf>
6. Schultz GS, Gibson DJ, Lantis J, Nakagami G. Biofilm Update. *Wound Practice and Research*. 2016; 24(4): 258 – 261.  
**Full Article:** [http://www.woundsaustralia.com.au/journal/2404\\_07.pdf](http://www.woundsaustralia.com.au/journal/2404_07.pdf)
7. Yang Q, Larose C, Porta AD, Della Porta AC, Schultz GS, Gibson DJ. A surfactant-based wound dressing can reduce bacterial biofilms in a porcine skin explant model. *Int Wound J*. 2016; doi: 10.1111/iwj.12619  
**Abstract:** <http://www.ncbi.nlm.nih.gov/pubmed/27212453>



## Cell Salvage

1. Mayer D, Armstrong D, Schultz G, Percival S, Malone M, Romanelli M, Keast D, Jeffery S. Cell salvage in acute and chronic wounds: a potential treatment strategy. Experimental data and early clinical results. *J Wound Care*. 2018 Sep 2;27(9):594-605. doi: 10.12968/jowc.2018.27.9.594.  
**Abstract:** <https://www.ncbi.nlm.nih.gov/pubmed/30204575>
2. Jeong S, Schultz GS, Gibson DJ. Testing the influence of surfactant-based wound dressings on proteinase activity. *Int Wound J*. 2016 Dec 8. doi: 10.1111/iwj.12697. [Epub ahead of print]  
**Abstract:** <https://www.ncbi.nlm.nih.gov/pubmed/27933737>



## PluroGel® PSSD

1. Palumbo FP, Harding KG, Abbritti F, Bradbury S, Cech JD, Ivins N, Klein D, Menzinger G, Meuleneire F, Seratoni S, Zölß C, Mayer D. New Surfactant-based Dressing Product to Improve Wound Closure Rates of Nonhealing Wounds: A European Multicenter Study Including 1036 Patients. *Wounds*. 2016 Jul;28(7):233-40.  
**Full Article:** <https://www.woundsresearch.com/article/new-surfactant-based-dressing-product-improve-wound-closure-rates-nonhealing-wounds-european>
2. Black JS, Drake DB. A prospective randomized trial comparing silver sulfadiazine cream with a water-soluble polyantimicrobial gel in partial-thickness burn wounds. *Plast Surg Nurs*. 2015 Jan-Mar;35(1):46-9. doi: 10.1097/PSN.0000000000000081.  
**Abstract:** <https://www.ncbi.nlm.nih.gov/pubmed/25730540>
3. Zölß C1, Cech JD2. Efficacy of a new multifunctional surfactant-based biomaterial dressing with 1% silver sulphadiazine in chronic wounds. *Int Wound J*. 2016 Oct;13(5):738-43. doi: 10.1111/iwj.12361. Epub 2014 Sep 8.  
**Full Article:** [https://www.researchgate.net/publication/265417344\\_Efficacy\\_of\\_a\\_new\\_multifunctional\\_surfactant-based\\_biomaterial\\_dressing\\_with\\_1\\_silver\\_sulphadiazine\\_in\\_chronic\\_wounds](https://www.researchgate.net/publication/265417344_Efficacy_of_a_new_multifunctional_surfactant-based_biomaterial_dressing_with_1_silver_sulphadiazine_in_chronic_wounds)



## Poloxamer 188

1. Rodeheaver GT, Smith SL, Thacker JG, Edgerton MT, Edlich RF. Mechanical cleansing of contaminated wounds with a surfactant. *Am J Surg.* 1975 Mar;129(3):241-5.  
**Abstract:** <http://www.ncbi.nlm.nih.gov/pubmed/1119685>
2. Baskaran H, Toner M, Yarmush ML, Berthiaume F. Poloxamer-188 Improves Capillary Blood Flow and Tissue Viability in a Cutaneous Burn Wound. *J Surg Res.* 2001 Nov;101(1):56-61.  
**Abstract:** <https://www.ncbi.nlm.nih.gov/pubmed/11676555>
3. Lee RC, River LP, Pan FS, Ji L, Wollmann RL. Surfactant-induced sealing of electroporabilized skeletal muscle membranes in vivo. *Proc Natl Acad Sci U S A.* 1992 May 15; 89(10): 4524–4528.  
**Abstract:** <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC49115/>
4. Natoli RM, Athanasiou KA. P188 reduces cell death and IGF-I reduces GAG release following single-impact loading of articular cartilage. *J Biomech Eng.* 2008 Aug;130(4):041012. doi: 10.1115/1.2939368.  
**Abstract:** <http://www.ncbi.nlm.nih.gov/pubmed/18601454>
5. Lee RC, Hannig J, Matthews KL, Myerov A, Chen CT. Pharmaceutical therapies for sealing of permeabilized cell membranes in electrical injuries. *Ann N Y Acad Sci.* 1999 Oct 30;888:266-73.  
**Abstract:** <http://www.ncbi.nlm.nih.gov/pubmed/10842638>
6. Maskarinec SA, Wu G, Lee KY. Membrane sealing by polymers. *Ann N Y Acad Sci.* 2005 Dec; 1066: 310-20.  
**Abstract:** <http://www.ncbi.nlm.nih.gov/pubmed/16533934>
7. Schmolka IR. A review of block polymer surfactants. *Journal of the American Oil Chemists' Society.* 1977; 54(3):110-116.  
**Abstract:** <http://link.springer.com/article/10.1007%2FBF02894385>
8. Hunter RL, Luo AZ, Zhang R, Kozar RA, Moore FA. Poloxamer 188 inhibition of ischemia/reperfusion injury: evidence for a novel anti-adhesive mechanism. *Ann Clin Lab Sci.* 2010 Spring;40(2):115-25.  
**Abstract:** <http://www.ncbi.nlm.nih.gov/pubmed/20421622>
9. Curry DJ, Wright DA, Lee RC, Kang UJ, Frim DM. Surfactant poloxamer 188-related decreases in inflammation and tissue damage after experimental brain injury in rats. *J Neurosurg.* 2004 Aug; 101(1 Suppl):91-6.  
**Abstract:** <http://www.ncbi.nlm.nih.gov/pubmed/16206978>
10. Gu JH, Ge JB, Li M, Xu HD, Wu F, Qin ZH. Poloxamer 188 protects neurons against ischemia/reperfusion injury through preserving integrity of cell membranes and blood brain barrier. *PLoS One.* 2013 Apr 16; 8(4):e61641. doi: 10.1371/journal.pone.0061641. Print 2013.  
**Abstract:** <http://www.ncbi.nlm.nih.gov/pubmed/23613890>



11. Birchenough SA, Rodeheaver GT, Morgan RF, Peirce SM, Katz AJ. Topical poloxamer-188 improves blood flow following thermal injury in rat mesenteric microvasculature. *Ann Plast Surg.* 2008 May; 60(5):584-8. doi: 10.1097/SAP.0b013e3181651661.  
**Abstract:** <http://www.ncbi.nlm.nih.gov/pubmed/18434836>
12. Hannig J, Zhang D, Canaday DJ, Beckett MA, Astumian RD, Weichselbaum RR, Lee RC. Surfactant sealing of membranes permeabilized by ionizing radiation. *Radiat Res.* 2000 Aug; 154(2):171-7.  
**Abstract:** <http://www.ncbi.nlm.nih.gov/pubmed/10931689>
13. Connor-Ballard PA1. Understanding and managing burn pain: Part 2. *Am J Nurs.* 2009 May;109(5):54-62.  
**Abstract:** <http://www.ncbi.nlm.nih.gov/pubmed/19411907>
14. Mustafi D, Smith CM, Makinen MW, Lee RC. Multi-block poloxamer surfactants suppress aggregation of denatured proteins. *Biochim Biophys Acta.* 2008 Jan;1780(1):7-15. Epub 2007 Sep 12.  
**Abstract:** <http://www.ncbi.nlm.nih.gov/pubmed/17951011>
15. Lee RC, Despa F, Guo L, Betala P, Kuo A, Thiyagarajan P. Surfactant copolymers prevent aggregation of heat denatured lysozyme. *Ann Biomed Eng.* 2006 Jul;34(7):1190-200. Epub 2006 Jun 20.  
**Abstract:** <http://www.ncbi.nlm.nih.gov/pubmed/16786393>
16. Bhandari KH, Newa M, Kim JA, Yoo BK, Woo JS, Lyoo WS, Lim HT, Choi HG, Yong CS. Preparation, characterization and evaluation of coenzyme Q10 binary solid dispersions for enhanced solubility and dissolution. *Biol Pharm Bull.* 2007 Jun;30(6):1171-6.  
**Abstract:** <http://www.ncbi.nlm.nih.gov/pubmed/17541177>
17. Chokshi RJ, Zia H, Sandhu HK, Shah NH, Malick WA. Improving the dissolution rate of poorly water soluble drug by solid dispersion and solid solution: pros and cons. *Drug Deliv.* 2007 Jan;14(1):33-45.  
**Abstract:** <http://www.ncbi.nlm.nih.gov/pubmed/17107929>
18. Tursilli R, Piel G, Delattre L, Scalia S. Solid lipid microparticles containing the sunscreen agent, octyl-dimethylaminobenzoate: effect of the vehicle. *Eur J Pharm Biopharm.* 2007 Jun;66(3):483-7. Epub 2007 Feb 28.  
**Abstract:** <http://www.ncbi.nlm.nih.gov/pubmed/17407809>
19. Paek SH, Xuan JJ, Choi HG, Park BC, Lee YS, Jeong TC, Jin CH, Oh YK, Kim JA. Poloxamer 188 and propylene glycol-based rectal suppository enhances anticancer effect of 5-fluorouracil in mice. *Biol Pharm Bull.* 2006 May;29(5):1060-3.  
**Abstract:** <http://www.ncbi.nlm.nih.gov/pubmed/16651748>



20. Batrakova EV, Kabanov AV. Pluronic block copolymers: evolution of drug delivery concept from inert nanocarriers to biological response modifiers. *J Control Release*. 2008 Sep 10;130(2):98-106. doi: 10.1016/j.jconrel.2008.04.013. Epub 2008 Apr 24.

**Abstract:** <http://www.ncbi.nlm.nih.gov/pubmed/18534704>

21. Stewart PS, Costerton JW. Antibiotic resistance of bacteria in biofilms. *Lancet*. 2001 Jul 14;358(9276):135-8.

**Abstract:** <http://www.ncbi.nlm.nih.gov/pubmed/11463434>