## **VAPrevent**®

Achieve patient comfort, staff compliance and infection prevention





## VAP prevention

Ventilator-associated pneumonia (VAP) is a leading cause of death in critically ill patients. That's why good oral hygiene is essential for maintaining healthy oral flora and fewer infections. Medline's oral care portfolio includes 24-Hour Kits that contain everything needed for sufficient oral care over 24 hours, as well as individual trays, which are ideal for patients with specific oral hygiene needs. Trays are also suitable for those being moved out of the intensive care unit (ICU) who don't need a full 24-Hour Oral Care Kit.

Medline's products help you maintain compliance with oral care guidelines for your most vulnerable patients while fighting VAP and hospital-acquired pneumonia (HAP) in your facility.

Research shows that oral care protocols can help lower the risk of developing VAP by 46%.1



of nurses in Europe feel they don't have appropriate tools to provide oral care to their patients.<sup>2</sup>



VAP affects 5 to 40% of patients who are ventilated for more than 2 days.<sup>3</sup>



Studies suggest VAP can lengthen patients' stay in the ICU by 6 to 10 days.<sup>4</sup>



Researchers report that VAPrelated care can cost between €10,800 and €51,000 to treat.<sup>5</sup>

## **Table of contents**

| 24-Hour Kits     | 5 |
|------------------|---|
|                  |   |
| Single-Tray Kits | 6 |
|                  |   |
| Individual items | 7 |



## 24-Hour Kits drive the highest levels of compliance

Medline's 24-Hour Kits offer all necessary components for a full day of oral care for one patient, and are conveniently packaged in a dispenser box. The two different types of trays are colour-coded to help healthcare workers quickly know which one to use, and let others easily check whether proper care has been performed. Furthermore, the dispenser box has three convenient storage solutions, thanks to a paper strap, allowing you to hang the kit on the wall or a ventilator, or place it on the bedside table.

| Code  | Description                                     | Toothbrush tray  | Swab tray  |
|-------|---|--|--|
| Q800* | Q8 24-Hour<br>Oral Care Kit<br>with moisturiser | 2x<br>1 suction toothbrush,<br>1 suction swab,<br>2 DenTips, 1 moisturiser | 1x<br>1 suction swab,<br>2 DenTips,<br>1 moisturiser |







Tip: You can combine the 24-Hour Oral Care Kit with our Antiplaque Mouth Rinse.

# Single-Tray Kits for convenience and improved processes

Each kit contains every item you'll need.



The cup is provided as the perfect place to pour the prescribed solution to perform oral care.





#### Individual Oral Care Kit standard\*

The kit contains:

- 2 DenTips green oral swabs, treated with dentifrice
- 1 packet of Medline Mouth Rinse (7 ml)
- 1 packet of Medline Mouth Moisturiser gel (3 g).

| MDS096013MEU | VAPrevent Oral Care Kit standard | 100 ea/case<br>(100 kits/case) |
|--------------|----------------------------------|--------------------------------|
|--------------|----------------------------------|--------------------------------|



#### Individual Oral Care Kit with suction swabs\*

The kit contains:

- 2 suction swabs treated with dentifrice
- 1 DenTips oral swab.

Also available with Mouth Rinse and Mouth Moisturiser

| MDS09651300EU | Solution-free VAPrevent Kit with suction swabs | 100 ea/case<br>(100 kits/case) |
|---------------|--|--------------------------------|
| MDS096513MEU  | VAPrevent Kit with suction swabs and solution  | 100 ea/case<br>(100 kits/case) |



#### Individual Oral Care Kit with suction toothbrush\*

The kit contains:

- 1 untreated suction toothbrush
- 1 untreated DenTips blue oral swab.

Also available with Mouth Rinse and Mouth Moisturiser

| MDS09657200EU | Solution-free VAPrevent Kit with suction toothbrush | 100 ea/case<br>(100 kits/case) |
|---------------|---|--------------------------------|
| MDS096572MEU  | VAPrevent Kit with suction toothbrush               | 100 ea/case<br>(100 kits/case) |





#### Flexible suction tubing connector\*\*

The flexible tubing connector with two female ends makes it unnecessary to cut tubing to fit suction tools.



These yankauers are suitable for use during oral aspiration, suction-assisted laryngoscopy and airway decontamination.

|        | Elevible vankauer with female  |            |
|--------|--|------------|
| Y1800F | Flexible yankauer with female connector, with 250-mm length and 18-CH diameter | 50 ea/case |
| Y2200F | Flexible yankauer with female connector, with 250-mm length and 22-CH diameter | 50 ea/case |



# Individual items to implement a step-by-step protocol

#### DenTips® oral swabs\*

DenTips are used to remove mucus build-up from a patient's mouth. Green DenTips, with a sponge treated with a dentifrice, provide additional cleansing of oral tissues.

| MDS096202EU | Blue swab individually wrapped     | Untreated | 500 ea/case<br>(500 swabs/case)     |
|-------------|------------------------------------|-----------|-------------------------------------|
| MDS096206EU | Blue swabs wrapped in a bag of 20  | Untreated | 50 ea/case<br>(1,000 swabs/case)    |
| MDS096208EU | Blue swabs bulk                    | Untreated | 1,000 ea/case<br>(1,000 swabs/case) |
| MDS096502EU | Green swab individually wrapped    | Treated   | 500 ea/case<br>(500 swabs/case)     |
| MDS096504EU | Green swabs wrapped in a bag of 10 | Treated   | 100 ea/case<br>(1,000 swabs/case)   |





To activate the dentifrice, use the patient's saliva or a small amount of water.

#### Suction swab and toothbrush\*

Suction swabs and toothbrushes can be connected to a standard suction line and controlled by using the thumb port.

| MDS096525EU | Suction swab individually wrapped       | Treated   | 100 ea/case<br>(100 swabs/case)        |
|-------------|---|-----------|--|
| MDS096575EU | Suction toothbrush individually wrapped | Untreated | 100 ea/case<br>(100 toothbrushes/case) |



#### **Toothbrushes**

The adult and mini toothbrushes, with exceptionally soft bristles, are gentle on the teeth and gums and provide effective oral cleaning.

| MDS096082 | Adult toothbrush | 72 ea/case                |
|-----------|------------------|---------------------------|
| TB001**   | Mini toothbrush  | 500 ea/case<br>100 ea/box |



#### **Mouth Moisturiser**

Applying Medline's Mouth Moisturiser with DenTips to a patient's lips and oral tissues protects them from drying out.

| MDS096803E | Mouth Moisturiser | 100 ea/case |
|------------|-------------------|-------------|
|------------|-------------------|-------------|



#### **Antiplaque Mouth Rinse**

Medline's Antiplaque Mouth Rinse helps with the removal of dental plaque. It contains 0.12% chlorhexidine and xylitol, which promote clean, fresh and pleasant breath. In addition, continued use increases the effectiveness of brushing, and plaque removal is enhanced, thereby helping to improve the hygiene of the gums.

| MDSCHG15 | Medline Antiplaque Mouth Rinse | 70 ea/case |
|----------|--------------------------------|------------|
|----------|--------------------------------|------------|



### The Medline difference

### **High-quality** solutions



## **Compliance**driven designs



### **Exceptional** service



## **Commitment** to our customers



**Patient** hygiene expertise



#### Medline Industries Ltd.

3rd Floor Quayside Wilderspool Business Park Greenalls Avenue Warrington WA4 6HL United Kingdom Tel.: +44 844 334 5237

www.medline.eu/uk uk-customerservice@medline.com

#### Medline Ireland Ltd.

1 Grant's Row Mount Street Lower Dublin 2 Ireland Tel.: +353 1 691 73 06

www.medline.eu/ie ie-customerservice@medline.com FOLLOW US fin



References:
1. Sona, C. S., Zack, J. E., Schallom, M. E., McSweeney, M., McMullen, K., Thomas, J., Coopersmith, C. M., Boyle, W. A., Buchman, T. G., Mazuski, J. E., & Schuerer, D. J. E. (2008b). The Impact of a Simple, Low-cost Oral Care Protocol on Ventilator-associated Pneumonia Rates in a Surgical Intensive Care Unit. Journal of Intensive Care Medicine, 24(1), 54–62. https://doi.org/10.1177/0885066608326972.

2. Rello, J. et al. Oral care practices in intensive care units: A survey of 59 European ICUs. Intensive Care Medicine 33, 1066–1070 (2007).

3. Papazian, L., Klompas, M., & Luyt, C. E. (2020). Ventilator-associated pneumonia in adults: a narrative review. Intensive Care Medicine, 46(5), 888–906. https://doi.org/10.1007/s00134-020-05980-0.
4. Safdar N, Crnich CJ, Maki DG (2005). The pathogenesis of ventilator-associated pneumonia: its relevance to developing effective strategies for prevention. Respiratory Care 50(6):725–741.
5. Leistner R, Kankura L, Bloch A, Sohr D, Gastmeier P, Geffers C (2013). Attributable costs of ventilator-associated lower respiratory tract infection (LRTI) acquired on intensive care units: a retrospectively matched cohort study. Antimicrobial Resistance and Infection Control 2(1):13.

\*These products are class I non-sterile medical devices intended to be used by healthcare professionals. Before use, consult instructions and precautions on the corresponding labelling.

\*\*This product is a class I non-sterile medical device intended to be used by healthcare professionals. Before use, consult instructions and precautions on the corresponding labelling.

Flexible Yankauer with female connector are class IIa medical devices intended to be used by healthcare professionals. Before use, consult instructions and precautions on the corresponding labelling.









