

# Urological Solutions

You're there for your patients. We're here for you.

**ASID**  **BONZ**

A MEDLINE COMPANY



**Supporting  
your delivery of  
comprehensive  
care**



## The highest quality products

We offer you a comprehensive range of clinically proven products, including:

- Urinary catheter trays designed by nurses that align clinical behaviour with evidence-based practices
- Various intermittent and Foley catheters to fit your patients' needs
- Urological drainage solutions for use during the hospital stay or for chronic conditions

## CAUTI prevention

In order to help maintain patients' health, we are dedicated to preventing catheter-associated urinary tract infections (CAUTIs) as much as possible. The Robert Koch Institute (RKI) recommends different tools to prevent CAUTIs. These include:

- Stringent protocols for catheterisation to help reduce unnecessary use
- Product standardisation
- Maintenance of catheter sterility
- Timely removal of the catheter.<sup>1</sup>





## Table of contents

<b>Prevent CAUTIs</b>	<b>4</b>
<b>Urinary catheters</b>	<b>7</b>
<b>Urine drainage systems</b>	<b>16</b>
<b>Leg bags</b>	<b>26</b>
<b>Paediatrics</b>	<b>28</b>
<b>Irrigation syringes</b>	<b>30</b>
<b>Gastroenterological products</b>	<b>31</b>

**Prevention  
is better  
than a cure**

## Solutions to help prevent CAUTIs

CAUTIs are one of the most common healthcare-associated infections (HAIs). CAUTI protocols exist, but with so many competing priorities, compliance with best practices is often inconsistent. These infections are most likely caused by bacteria entering the bladder during catheter insertion, or due to a disruption in the closed drainage system.

The daily incidence rate of patients developing a CAUTI lies between 3 and 10 per cent. After an indwelling time of 30 days, the majority of patients will experience bacteriuria or bacteria in their urine. In general, 80 per cent of nosocomial urinary tract infections are catheter-associated.<sup>1</sup>

Using sterile (EO) catheter exchange kits, paired with consistent best practices, can lower the infection rate amongst patients when placing or changing urinary catheters. With these kits, Medline aims to be part of a CAUTI-reducing solution that is customised for your facility's specific needs.

### Catheter exchange kits

#### **S-010000 components:**

- 1 urine collection tray, plastic
- 6 gauze swabs, plum-sized
- 2 gauze compresses, 7.5 x 7.5 cm
- 1 pair of forceps
- 1 drape with slit opening, 60 x 60 cm, waterproof
- 1 cover drape, 60 x 60 cm, waterproof
- 1 pair of examination gloves, latex, medium, powder-free in paper
- 1 wrap, 60 x 60 cm, waterproof



#### **S-020000-N components:**

- 1 urine collection tray, plastic
- 6 gauze swabs, plum-sized
- 2 gauze compresses, 7.5 x 7.5 cm
- 2 pairs of forceps
- 1 drape with slit opening, 60 x 60 cm, waterproof
- 1 pair of examination gloves, nitrile, large, powder-free in paper
- 1 wrap, 60 x 60 cm, waterproof





**S-030000 components:**

- 1 kidney dish, plastic
- 1 swab bowl, plastic
- 5 gauze swabs, plum-sized
- 2 gauze compresses, 7.5 x 7.5 cm
- 1 pair of forceps
- 1 drape with slit opening, 60 x 60 cm, waterproof
- 1 pair of examination gloves, latex, medium, powder-free in paper
- 1 wrap, 60 x 60 cm, waterproof

**S-030000-N components:**

- 1 kidney dish, plastic
- 1 swab bowl, plastic
- 5 gauze swabs, plum-sized
- 2 gauze compresses, 7.5 x 7.5 cm
- 1 pair of forceps
- 1 drape with slit opening, 60 x 60 cm, waterproof
- 1 pair of examination gloves, nitrile, large, powder-free in paper
- 1 wrap, 60 x 60 cm, waterproof

**S-040000 components:**

- 1 urine collection tray, plastic
- 4 gauze swabs, plum-sized
- 2 gauze compresses, 7.5 x 7.5 cm
- 2 pairs of forceps
- 1 drape with slit opening, 50 x 50 cm, waterproof
- 1 pair of examination gloves, latex, medium, powder-free in paper
- 1 wrap, 60 x 60 cm, waterproof

**S-050000 components:**

- 1 kidney dish, plastic
- 1 swab bowl, plastic
- 6 gauze swabs, plum-sized
- 1 gauze compresses, 10 x 10 cm
- 2 pairs of forceps
- 1 drape with slit opening, 50 x 50 cm, waterproof
- 1 pair of examination gloves, latex, medium, powder-free in paper
- 1 work drape, 60 x 60 cm, waterproof
- 1 wrap, 60 x 60 cm, waterproof

**S-060000 components:**

- 1 urine collection tray, plastic
- 5 gauze swabs, plum-sized
- 5 gauze compresses, 7.5 x 7.5 cm
- 1 pair of forceps
- 1 drape with slit opening, 50 x 50 cm, waterproof
- 1 pair of examination gloves, latex, large, powder-free in paper
- 1 examination glove, latex, medium, powder-free, folded cuff
- 1 wrap, 60 x 60 cm, waterproof



**S-060000-N components:**

- 1 urine collection tray, plastic
- 5 gauze swabs, plum-sized
- 5 gauze compresses, 7.5 x 7.5 cm
- 1 pair of forceps
- 1 drape with slit opening, 50 x 50 cm, waterproof
- 1 pair of examination gloves, nitrile, large, powder-free in paper
- 1 examination glove, nitrile, medium, powder-free, folded cuff
- 1 wrap, 60 x 60 cm, waterproof

**S-070000 components:**

- 1 kidney dish, plastic
- 1 swab bowl, plastic
- 4 gauze swabs, plum-sized
- 4 gauze compresses, 7.5 x 7.5 cm
- 1 pair of forceps
- 1 drape with slit opening, 50 x 50 cm, waterproof
- 1 pair of examination gloves, latex, medium, powder-free in paper
- 1 wrap, 60 x 60 cm, waterproof

**S-080000 components:**

- 1 urine collection tray, plastic
- 6 gauze swabs, egg-sized
- 2 gauze compresses, 7.5 x 7.5 cm
- 2 pairs of forceps
- 1 drape with slit opening, 60 x 60 cm, waterproof
- 1 pair of examination gloves, latex, medium, powder-free in paper
- 1 wrap, 60 x 60 cm, waterproof
- 1 Glyco-SID®, 10 ml

**S-090000 components:**

- 1 urine collection tray, plastic
- 6 gauze swabs, plum-sized
- 1 pair of forceps
- 1 drape with slit opening, 60 x 60 cm, waterproof
- 1 pair of examination gloves, vinyl, large, powder-free, folded cuff
- 1 wrap, 60 x 60 cm, waterproof
- 1 Glyco-SID®, 10 ml




You're there  
for your  
patients.  
We're here  
for you.

**UROSID®**

Quality  
Reliability  
Safety





## Urinary catheters

### Solutions to help prevent CAUTI

Urinary catheterisation facilitates the draining of the bladder and collection of urine through intermittent or indwelling catheters.

### Silicone or latex? The choice is yours.

Foley catheters are available in 100 per cent silicone or natural rubber latex. Which type is the most appropriate depends on several factors, including whether or not your patient is allergic to particular materials as well as the length of anticipated indwell time. The pros and cons of the different materials need to be taken into consideration.

#### 100% silicone

- Indwelling time of up to 29 days
- High biocompatibility – fewer known allergies
- Less encrustation during indwelling
- Radiopaque for easy visualisation during scans
- Smooth material for maximum comfort



#### Natural rubber latex (siliconised)

- Indwelling time of up to 14 days
- Many patients face latex allergies
- Faster encrustation compared to 100% silicone catheters
- Lower unit cost than silicone catheters
- Not radiopaque
- Smooth material for maximum comfort



## UROSID® Silicone Foley Catheters

The UROSID® Silicone Foley Catheter is a double- or triple-lumen, transurethral urinary catheter made of 100 per cent medical-grade silicone. Each comes with either a straight, atraumatic Nelaton tip or a slightly curved, atraumatic Tiemann tip, and features a continuous barium sulphate X-ray contrast strip for radiopacity. Foley catheters with a Nelaton tip can be used for both female and male catheterisation, while catheters with a Tiemann tip are primarily used for catheterising male patients with a narrowed, scarred or difficult-to-pass urethra.

These catheters are suitable for both passive emptying and retrograde filling/drainage of the bladder. Each is colour-coded and can be used in conjunction with extensions, as well as all Asid Bonz urine bags. In addition, the valve of the filling channel has a luer syringe attachment. The catheter balloons have different filling volumes between 5 and 30 ml.

### UROSID® Basic Silicone Foley Catheter Type: Nelaton, double lumen

REF 6421xx



Reference	Size (CH)	Length (cm)	Balloon volume (ml)	Colour	Units (ea)
642112	12	40	5 – 15	White	10
642114	14	40	5 – 15	Green	10
642116	16	40	5 – 15	Orange	10
642118	18	40	5 – 15	Red	10
642120	20	40	5 – 15	Yellow	10
642122	22	40	5 – 15	Purple	10
642124	24	40	5 – 15	Blue	10

REF 6430xx



Reference	Size (CH)	Length (cm)	Balloon volume (ml)	Colour	Units (ea)
643016	16	40	30	Orange	10
643018	18	40	30	Red	10
643020	20	40	30	Yellow	10
643022	22	40	30	Purple	10
643024	24	40	30	Blue	10



All UROSID® Basic Silicone Foley Catheters are:

- Free from natural rubber latex
- DEHP- and PHT-free
- Sterile (EO).



**REF 6420xx-P**

This product includes a prefilled Glyco-SID® syringe with a 10-ml water-glycerine solution (10%) as a blocker medium for filling the balloon.

Graduation of the syringe: 0.2 ml



Reference	Size (CH)	Length (cm)	Balloon volume (ml)	Colour	Units (ea)
642012-P	12	40	10	White	5
642014-P	14	40	10	Green	5
642016-P	16	40	10	Orange	5
642018-P	18	40	10	Red	5
642020-P	20	40	10	Yellow	5
642022-P	22	40	10	Purple	5
642024-P	24	40	10	Blue	5

**UROSID® Basic Silicone Foley Catheter**

Type: Nelaton, triple lumen

**REF 6440xx**

The three-way Foley catheter has an additional irrigation/injection channel for administering drug solutions or flushing the bladder.



Reference	Size (CH)	Length (cm)	Balloon volume (ml)	Colour	Units (ea)
644016	16	40	30	Orange	10
644018	18	40	30	Red	10
644020	20	40	30	Yellow	10
644022	22	40	30	Purple	10
644024	24	40	30	Blue	10

**UROSID® Basic Silicone Foley Catheter**

Type: Tiemann, double lumen

**REF 6530xx**

The UROSID® Silicone Foley Catheter is created especially for male patients.



Reference	Size (CH)	Length (cm)	Balloon volume (ml)	Colour	Units (ea)
653012	12	40	5 – 10	White	10
653014	14	40	5 – 10	Green	10
653016	16	40	5 – 10	Orange	10
653018	18	40	5 – 10	Red	10
653020	20	40	5 – 10	Yellow	10

# UROSID® Sensor 400

The UROSID® Sensor 400 is a transurethral silicone Foley catheter with an integrated temperature sensor.

### Accurate


- Continuous measurements between 25 and 45° C with an accuracy of ± 0.1° C

### Convenient

- Saves on nursing time for monitoring temperature where Foley catheterisation is already indicated

### Compatible

- Applicable for use within most hypothermia units and with patient monitors from GE®, HP® Philips™, Siemens® and others
- We will provide you with the appropriate adapter cables
- UROSID® Sensor 400 is MRI-compatible



### REF 6460xx

Reference	Size (CH)	Length (cm)	Balloon volume (ml)	Colour	Units (ea)
646008	8	31	5	Blue	5
646010	10	31	5	Black	5
646012	12	40	10	White	5
646014	14	40	10	Green	5
646016	16	40	10	Orange	5
646018	18	40	10	Red	5
646020	20	40	30	Yellow	5
646022	22	40	30	Purple	5
646024	24	40	30	Blue	5

### Adapter cables

Adapter cables are used to connect the UROSID® Sensor 400 with patient monitors. The appropriate adapter cable is chosen based on the kind of patient monitor in use.

Reference	Name	Length (cm)	Units (ea)
646060	Phone plug, straight, 6.35 mm	500	1
646070	Round connector, straight, HP/Philips	500	1
646080	Round connector, straight, Siemens	500	1



All UROSID® Basic Silicone Foley Catheters are:

- Free from natural rubber latex
- DEHP- and PHT-free
- Sterile (EO).



## UROSID® Latex Foley Catheters

The UROSID® Latex Foley Catheter is a double- or triple-lumen, transurethral urinary catheter made of siliconised natural rubber latex. Each comes with either a straight, atraumatic Nelaton tip or a slightly curved, atraumatic Tiemann tip. Foley catheters with a Nelaton tip can be used for both female and male catheterisation, while catheters with a Tiemann tip are primarily used for catheterising male patients with a narrowed, scarred or difficult-to-pass urethra.

These catheters are suitable for both passive emptying and retrograde filling/drainage of the bladder. Each is colour-coded and can be used with commercially available extensions, as well as all Asid Bonz urine bags. In addition, the valve of the filling channel has a luer syringe attachment. The catheter balloons have different filling volumes between 5 and 30 ml.

### UROSID® Latex Foley Catheter

Type: Nelaton, double lumen

REF 6620xx



Reference	Size (CH)	Length (cm)	Balloon volume (ml)	Valve	Colour	Units (ea)
662012	12	40	5 – 10	PVC	White	10
662014	14	40	5 – 10	PVC	Green	10
662016	16	40	5 – 10	PVC	Orange	10
662018	18	40	5 – 10	PVC	Red	10
662020	20	40	5 – 10	PVC	Yellow	10
662022	22	40	5 – 10	PVC	Purple	10
662024	24	40	5 – 10	PVC	Blue	10
662026	26	40	5 – 10	PVC	Pink	10



REF 6622xx

Reference	Size (CH)	Length (cm)	Balloon volume (ml)	Valve	Colour	Units (ea)
662212	12	40	5 – 10	Rubber	White	10
662214	14	40	5 – 10	Rubber	Green	10
662216	16	40	5 – 10	Rubber	Orange	10
662218	18	40	5 – 10	Rubber	Red	10
662220	20	40	5 – 10	Rubber	Yellow	10
662222	22	40	5 – 10	Rubber	Purple	10
662224	24	40	5 – 10	Rubber	Blue	10
662226	26	40	5 – 10	Rubber	Pink	10



The rubber valve is MRI-compatible.

**UROSID® Latex Foley Catheter**  
**Type: Nelaton, double lumen**

**REF 6630xx**



Reference	Size (CH)	Length (cm)	Balloon volume (ml)	Colour	Units (ea)
663012	12	40	30	White	10
663014	14	40	30	Green	10
663016	16	40	30	Orange	10
663018	18	40	30	Red	10
663020	20	40	30	Yellow	10
663022	22	40	30	Purple	10
663024	24	40	30	Blue	10
663026	26	40	30	Pink	10

**UROSID® Latex Foley Catheter**  
**Type: Tiemann, double lumen**

**REF 6650xx**

The UROSID® Latex Foley Catheter with a Tiemann tip is created especially for male patients.



Reference	Size (CH)	Length (cm)	Balloon volume (ml)	Colour	Units (ea)
665012	12	40	5 – 10	White	10
665014	14	40	5 – 10	Green	10
665016	16	40	5 – 10	Orange	10
665018	18	40	5 – 10	Red	10
665020	20	40	5 – 10	Yellow	10

**REF 6660xx**

The UROSID® Latex Foley Catheter with a Tiemann tip is created especially for male patients.



Reference	Size (CH)	Length (cm)	Balloon volume (ml)	Colour	Units (ea)
666012	12	40	30	White	10
666014	14	40	30	Green	10
666016	16	40	30	Orange	10
666018	18	40	30	Red	10
666020	20	40	30	Yellow	10



All UROSID® Latex Foley Catheters are:  
 · Sterile (EO).

## UROSID® Latex Foley Catheter

Type: Nelaton, triple lumen

### REF 6680xx

The three-way Foley catheter has an additional irrigation/injection channel for administering drug solutions or flushing the bladder.



Reference	Size (CH)	Length (cm)	Balloon volume (ml)	Colour	Units (ea)
668016	16	40	30	Orange	10
668018	18	40	30	Red	10
668020	20	40	30	Yellow	10
668022	22	40	30	Purple	10
668024	24	40	30	Blue	10
668026	26	40	30	Pink	10

## Accessories for UROSID® Foley Catheters

### Blocker medium

#### Aqua-SID® and Glyco-SID®

Prefilled syringes facilitate the inflation of the balloons for UROSID® Foley Catheters (silicone or latex) during catheterisation.

Reference	Name	Feature	Units (ea)
623001	Aqua-SID®	10-ml of purified water	10
623002	Glyco-SID®	10-ml mixture of purified water and 10% glycerine	10



### Spigot

#### REF 647010-x

A spigot is a plug that is used to close the drainage funnel of Foley catheters for a short time (e.g. during a closed system change or an examination of the patient).

Reference	Sterility	Units (ea)
647010-A	Sterile (EO)	50
647010-U	Non-sterile	100



We provide you with everything you need to catheterise your patients.



## UROSID® Supra

Some patients cannot be catheterised through the urethra due to complications such as urethral stricture. In such cases, percutaneous bladder drainage is necessary.

The UROSID® Supra Silicone Catheter provides a solution suitable for extra-anatomical emptying of the bladder and can be used with commercially available extensions and all Asid Bonz urine bags. Each is a double-lumen, suprapubic bladder catheter made of medical-grade silicone, with an open tip and a continuous barium sulphate X-ray radiopaque line. In addition, the valve of the filling channel has a luer syringe attachment and is colour-coded. There are also small catheter sizes (6 – 10 CH) available with a guidewire (stylet) for easier insertion.



### REF 6450xx

Reference	Size (CH)	Length (cm)	Balloon volume (ml)	Colour	Units (ea)
645006	6	40	1.5	Brown	10
645008	8	40	3	Blue	10
645010	10	40	3 – 5	Black	10
645012	12	40	5 – 10	White	10
645014	14	40	5 – 10	Green	10
645016	16	40	5 – 10	Orange	10
645018	18	40	5 – 10	Red	10
645020	20	40	5 – 10	Yellow	10
645022	22	40	5 – 10	Purple	10
645024	24	40	5 – 10	Blue	10
645026	26	40	5 – 10	Pink	10



All UROSID® Supra Catheters are:

- Free from natural rubber latex
- DEHP- and PHT-free
- Sterile (EO).

## Intermittent catheters

Intermittent catheterisation is considered a safe and effective method for urine drainage, offering personal independence and implementation in patients' everyday lives. These catheters can also be used for one-time urine sample collection directly from the bladder, offering a pure specimen result.

Medline offers intermittent catheters with either a Nelaton or Tiemann tip to ensure you have the appropriate solution for both female and male patients.


### Intermittent catheter

#### Type: Nelaton

##### REF 680xxx\*

These disposable catheters are made of PVC, have a rounded tip and are distally closed. Each has two Murphy eyelets positioned opposite each other. Due to their shorter length, they are especially suitable for use on women.

Reference	Size (CH)	Length (cm)	Colour	Units (ea)
680208	8	40	Blue	100
680210	10	40	Black	100
680212	12	40	White	100
680214	14	40	Green	100
680216	16	40	Orange	100
680218	18	40	Red	100
680310	10	18	Black	100
680312	12	18	White	100
680314	14	18	Green	100
680316	16	18	Orange	100



### Intermittent catheter

#### Type: Tiemann

##### REF 6702xx\*

These disposable catheters are made of PVC, have a curved tip and are distally closed. Each has two Murphy eyelets positioned opposite each other. Tiemann tip catheters are especially suitable for use on male patients.

Reference	Size (CH)	Length (cm)	Colour	Units (ea)
670212	12	40	White	100
670214	14	40	Green	100
670216	16	40	Orange	100
670218	18	40	Red	100



- Smooth tip for easy insertion and comfort
- Staggered eyes allow for maximum flow
- Funnel end for ease of handling
- Colour-coded to indicate Charrière size
- All sizes are packaged sterile (EO)
- Made in Germany



\*Not available in AT, CH, HU, IT and UK

# Urine drainage systems



## Closed system

With closed urine drainage systems, the flow of urine is interrupted via a drip chamber between the tube and the urine bag. As a result, the urinary catheter, along with the tube, forms a separate second system aside from the urine bag. The use of a closed urine drainage system is recommended for multi-day urine drainage and can effectively reduce the risk of CAUTI in comparison to basic urine bags.

The Robert Koch Institute (RKI) recommends maintaining a sterile, continuously closed urinary diversion system for preventing and controlling CAUTIs. The RKI has even said it is possible that 70 per cent of all CAUTIs can be prevented by applying certain measures:<sup>1</sup>

- Reduce unnecessary catheterisation
- Keep the indwelling time to a minimum
- Train personnel
- Implement hand hygiene and the aseptic technique
- Implement daily surveillance
- Use a closed urine drainage system.

## From basic to professional

Medline offers a wide range of urine collection bags to meet all your needs. From a basic secretion bag without a stopcock to urine meters for precise urine flow measurement, we have you covered.





## Closed urine drainage system


The design of the Asid Bonz UROSID® 2000 S Urine Drainage System can help prevent or reduce the risk of CAUTIs. It is difficult to maintain a closed system if the indwelling time of the Foley catheter is different from that of the drainage system. When disconnecting the drainage system from the catheter, the risk of CAUTI increases. The Asid Bonz urine drainage system has specific features that help keep the patient safe during the changing process.

### Drip chamber with integrated non-return valve

Separates the tube and the bag into 2 individual systems, which prevents urine from flowing back into the tubing from the bag

### Microfilter

Bag ventilation for pressure balance; impervious to bacteria and liquids



### Cross valve

Drainage valve to empty the bag while maintaining the closed system

### Needle-free urine sampling port

For safe urine sampling collection using a luer syringe without a needle

# UROSID® 2000 S



- Drip chamber with integrated non-return valve
- Cross valve
- Hydrophobic coated microfilter
- Bacteria and liquid-tight bag ventilation
- Needle-free urine sample collection port or collection with needle
- Sterile (EO)
- Free from natural rubber latex



Reference	Volume (ml)	Tubing length (cm)	Cross valve	Urine sampling port	Units (ea)
690090-N	2000	90	Horizontal	Needle-free	25
690092-N	2000	90	Vertical	Needle-free	25
690210-N	2000	120	Horizontal	Needle-free	25
690212-N	2000	120	Vertical	Needle-free	25
690090	2000	90	Horizontal	With needle	25
690092	2000	90	Vertical	With needle	25
690210	2000	120	Horizontal	With needle	25
690212	2000	120	Vertical	With needle	25

Horizontal cross valve



Vertical cross valve



Needle-free sampling port



Sampling port with needle



## UROSID® TUR-bag

After a transurethral resection of the prostate (TURP), the special UROSID® TUR-bag is indicated for post-operative bladder irrigation. This procedure indicates continuous flushing of the bladder for the first 24 hours. However, due to the high amount of rinsing solution and urine, the UROSID® TUR-bag is larger than other closed drainage systems. It comes with either a 4-litre or 5-litre bag.



- Drip chamber with integrated non-return valve
- Cross valve
- Hydrophobic coated microfilter
- Bacteria and liquid-tight bag ventilation
- Needle-free urine sample collection port or collection with needle
- Sterile (EO)
- Free from natural rubber latex

Reference	Name	Volume (ml)	Tubing length (cm)	Urine sampling port	Units (ea)
690240	UROSID® TUR-bag 4000	4,000	120	Needle-free	20
690250	UROSID® TUR-bag 5000	5,000	120	With needle	20

### REF 6440xx UROSID® Silicone Foley Catheter (page 9)



### REF 6680xx UROSID® Latex Foley Catheter (page 13)



#### Note:

For attaching the rinsing solution and the UROSID® TUR-bag, you always need to use a triple-lumen Foley catheter.



## Urine meters

Urine production constitutes an essential part of fluid balance/elimination. In intensive care medicine, it is important to monitor vital parameters (e.g. respiration, circulation and elimination) over a 24-hour period, in order to prevent organ failure (e.g. in the kidneys or gall bladder). The UROSID® Urine Measurement System is equipped with additional graduated chambers to facilitate accurate monitoring and urine sampling, even in cases when there is very little urine.

Our range has two different versions of urine meters: tilting systems and exchange bags systems.

### Why do you need it?

To manage the fluid control of your patient (e.g. after surgery)


### When do you use it?

During the application of intensive care medicine


## Tilting systems

The UROSID® Urine Measurement System is available in three different variations to meet your specific needs. Medline's urine meters are available with single-, double- or triple-chamber variations. However, all systems offer accurate measurements, starting with a 5-ml graduation.


Single-chamber urine meter



Double-chamber urine meter



Triple-chamber urine meter



### How does it work?

After measuring the urine collected in the chamber, tilt the chamber upwards to empty the contents into the attached urine bag



- Drip chamber with integrated non-return valve
- Cross valve
- Hydrophobic coated microfilter
- Bacteria and liquid-tight bag ventilation
- Needle-free urine sample collection point or collection with needle
- Sterile (EO)
- Free from natural rubber latex

## UROSID® M3 Single-Chamber Urine Meter

REF 6903x3-x

Reference	Bag volume (ml)	Urine meter volume (ml)	Tubing length (cm)	Feature	Units (ea)
690313	2,600	500	150	With needle	10
690313-L	2,600	500	150	With needle; extended drip chamber	10
690313-N	2,600	500	150	Needle-free	10
690323	2,600	500	120	With needle	10



## UROSID® M1 Double-Chamber Urine Meter

REF 6903x1

Reference	Bag volume (ml)	Urine meter volume (ml)	Tubing length (cm)	Feature	Units (ea)
690311	2,600	400	150	With needle	10
690321	2,600	400	120	With needle	10



## UROSID® M2 Triple-Chamber Urine Meter

REF 6903x2

Reference	Bag volume (ml)	Urine meter volume (ml)	Tubing length (cm)	Feature	Units (ea)
690312	2,600	400	150	With needle	10
690322	2,600	400	120	With needle	10




## Exchange Bag Systems

The UROSID® Urine Measurement System with Exchange Bag is available in two different versions to meet your specific needs. Medline offers a variant of the urine meters with a drainage valve, which gives clinicians the option to empty the exchange bag through the valve. For the alternative variant without a drainage valve, it is necessary to replace the bag once it is filled to capacity.

### How does it work?

After measuring the urine collected in the chamber, open the tap on the top of the chamber. This will allow the urine to drain into the exchange bag positioned below.



### UROSID® M5 Urine Meter with Exchange Bag

#### REF 69050x-N

Reference	Bag volume (ml)	Urine meter volume (ml)	Tubing length (cm)	Feature	Units (ea)
690500-N	2,000	500	150	With cross valve	10
690501-N	2,000	500	150	Without drainage valve	10



### Exchange Bag for UROSID® M5 Urine Meter

#### REF 69050x-BAG

Reference	Bag volume (ml)	Feature	Units (ea)
690500-BAG	2,000	With cross valve	50
690501-BAG	2,000	Without drainage valve	50



## IAP Manometer

The UROSID® Intra-Abdominal Pressure (IAP) Manometer plays a crucial role in preventing abdominal compartment syndrome (ACS). It is an easy-to-use device that is designed to facilitate the monitoring of intra-abdominal pressure (IAP), and it provides a secure connection between the Foley catheter and the UROSID Urine Meter of your choice.

Intra-abdominal hypertension (IAH) is characterised by sustained intra-abdominal pressure (IAP) exceeding 12 mmHg. ACS occurs when the pressure within the abdominal cavity surpasses 20 mmHg. This condition is linked to multi-organ dysfunction, posing a severe threat to patients in the intensive care unit (ICU).<sup>2</sup>

To mitigate the risk of ACS, it is essential to measure IAP when the risk of IAH is identified.<sup>2</sup> The UROSID IAP Manometer is designed to provide indirect, minimally invasive measurements of intra-abdominal pressure, using a Foley catheter.

Reference	Scale (mmHg)	Units (ea)
690000-IAP	0 – 40	20



## Urine bags

Urinary bags facilitate the collection of the urine drained from urinary catheters in patients with urinary retention or involuntary urination, as well as those who are bedridden, paralysed or have a disability. The non-return valve (NRV) reduces the number of infections that reach the bladder via the Foley catheter. And unlike a closed urine drainage system, urine bags do not contain a drip chamber.

### UROSID® 20

The UROSID® 20 offers a sterile urine bag system.



The urine bag system's features:

- Non-return valve (NRV)
- Cross valve
- Hydrophobic coated microfilter
- Urine sample extraction point on the universal step connector
- Hose and bed sheet clamp
- Available with or without holder
- Free from natural rubber latex
- Sterile (EO)



Reference	Volume (ml)	Tubing length (cm)	Feature	Units (ea)
690190	2,000	90	Without holder	50
690120	2,000	120	Without holder	50
690120-H	2,000	120	With holder	50

### Urine bag



The urine bag's features:

- Non-return valve (NRV)
- Cross valve
- Universal step connector
- Free from natural rubber latex



Reference	Volume (ml)	Tubing length (cm)	Sterility	Units (ea)
690220	2,000	90	Sterile (EO)	50
690230	2,000	90	Non-sterile	200



### Secretion bag

This bag allows for the collection of discharged bodily fluids, such as urine from bladder catheters. It requires changing after filling, as it is not possible to empty it. In addition, the secretion bag can be attached to the UROSID® Leg Bag at night.



The secretion bag's features:

- Non-return valve (NRV)
- Universal step connector
- Free from natural rubber latex




Reference	Volume (ml)	Tubing length (cm)	Feature	Sterility	Units (ea)
690515	1,500	90	Without NRV	Non-sterile	200
690520	2,000	90	Without NRV	Non-sterile	200
690615	1,500	90	With NRV	Sterile (EO)	100
690620	2,000	90	With NRV	Sterile (EO)	100

## Accessories

### Urine bag holders (non-sterile)



**REF 690010**  
Made from plastic



**REF 690020**  
Made from plastic-coated metal



**REF 690030**  
Made from plastic

Reference	Units (ea)
6900x0	10

### Bed sheet clamp (non-sterile)

Helps you secure the tube of the urine bag to the bed sheet



Reference	Units (ea)
681050	50

### Urine bottle and urine bottle holder

The urine bottle is ideal for bedridden male patients to collect urine. The square urine bottle is graduated and has a capacity of 1,000 ml. Each is compatible with the urine bottle holder.



**REF 690050**



**REF 690055**

Reference	Units (ea)
69005x	25

# UROSID® 24h

## The perfect match between the closed urine drainage system and leg bag

The UROSID® 24h is a closed urinary drainage system for collecting the urine discharged from urinary catheters in patients with urinary retention or involuntary urination. UROSID® 24h is a bed/leg bag combination that enables mobile patients with urinary catheters to go about their everyday lives. This product can be attached to the bed of the patient, and can also be worn underneath clothing while attached to the upper or lower leg.



- Drip chamber
- With non-return valve (NRV)
- Hydrophobic coated microfilter
- Universal stepped connector with urine sampling point
- Cross valve
- Attachment to leg or bed via a strap
- Woven inner surface
- Sterile (EO)
- Free from natural rubber latex
- PHT- and DEHP-free



Reference	Volume (ml)	Tubing length (cm)	Units (ea)
693730	1,000	30	20
693760	1,000	60	20
693790	1,000	90	20

## Strap for UROSID® 24h



Reference	Length (cm)	Units (ea)
693702	58	10

## REF 6905xx or 6906xx secretion bag (page 23)



**Note:**  
You can attach a secretion bag to UROSID® 24h at night.




# Leg bags


## UROSID® Leg Bags

Leg bags with a capacity of up to 1,000 ml enable mobile patients with urinary catheters to go about their everyday lives. They are attached to the upper or lower leg and worn underneath clothing. A triple-chamber leg bag has three separate chambers, allowing it to fit perfectly on the leg.

Single-Chamber Leg Bag



Triple-Chamber Leg Bag



### UROSID® Single-Chamber Leg Bag

The Single-Chamber Leg Bag offers a solution for collecting urine discharged from bladder catheters and features a gradual step connector, non-return valve (NRV) and central drain.

Reference	Volume (ml)	Tubing length (cm)	Sterility	Units (ea)
690710	750	10	Non-sterile	20



The Single-Chamber Leg Bag is ideal for collecting urine discharged from bladder catheters. It has features like a gradual step connector, non-return valve (NRV) and a cross valve. The inner woven surface allows for increased wearer comfort, whilst the additional step connector gives the option of shortening the tube to adjust it to specific patients requirements.

Reference	Volume (ml)	Tubing length (cm)	Sterility	Units (ea)
691770	750	50	Sterile (EO)	20



# UROSID® Leg Bags

## UROSID® Triple-Chamber Leg Bag

The Triple-Chamber Urine Leg Bag provides a solution for collecting urine discharged from bladder catheters. Each features a gradual step connector, non-return valve (NRV) and cross valve or flap valve. Additionally, the inner woven surface provides increased wearer comfort, and the extra gradual step connector allows for tube shortening based on the individual. An attachment piece for use as a night bag is also included.



Reference	Volume (ml)	Tubing length (cm)	Feature	Sterility	Units (ea)
690735	500	50	Cross valve	Sterile (EO)	10
690740	500	65	Cross valve	Sterile (EO)	10
690745	750	65	Cross valve	Sterile (EO)	10
690760	500	50	Flap valve	Sterile (EO)	10
691755	750	50	Cross valve	Sterile (EO)	10
691760	750	50	Flap valve	Sterile (EO)	10
692735	500	50	Cross valve	Non-sterile	10
692755	750	50	Cross valve	Non-sterile	10

### Cross valve




### Flap valve



## Strap for UROSID® Leg Bags

This strap is ideal for attaching UROSID® Leg Bags to the leg. It is comfortable to wear, and the comfort and standard types come with a silicone strip on the inside for better gripping. The closure is fitted with Velcro.



Reference	Name	Size	Length x width (cm)	Feature	Units (ea)
856001	Comfort	S (small)	40 x 5	Packaged individually	10
856002	Comfort	M (medium)	50 x 5	Packaged individually	10
856003	Comfort	L (large)	60 x 5	Packaged individually	10
856006	Universal	Universal	63 x 2.5; 63 x 3.5	Packaged in pairs	10
856008	Standard	Universal	53 x 2.5	Packaged in pairs	10



# Paediatric products



## Paediatric products for our smallest patients

Urological products for children are as important to offer as those for adults. The youngest patients have specific needs that we can provide solutions for with our paediatric product range. CAUTI prevention is equally as important in children as it is in adults, and consequently, our catheter exchange kits can also be used with children. All paediatric products are sterile (EO).



- Reduce unnecessary catheterisation
- Keep the indwelling time to a minimum
- Train personnel
- Implement hand hygiene and the aseptic technique
- Implement daily surveillance
- Use a closed urine drainage system




Look for Molly the bear on our paediatric urology range!

## Indwelling catheters

Paediatric sizes of indwelling catheters always come with a pre-inserted stylet for easy and safe positioning of the catheter.

### UROSID® Foley Catheter


Available in silicone or siliconised latex



Reference	Material	Size (CH)	Length (cm)	Balloon volume (ml)	Colour	Units (ea)
641008	Silicone	8	31	3 – 5	Blue	10
641010	Silicone	10	31	3 – 5	Black	10
661006	Siliconised latex	6	27	3	Brown	10
661008	Siliconised latex	8	27	3 – 5	Blue	10
661010	Siliconised latex	10	27	3 – 5	Black	10

### UROSID® Sensor 400

Reference	Size (CH)	Length (cm)	Balloon volume (ml)	Colour	Units (ea)
646008	8	31	5	Blue	5
646010	10	31	5	Black	5



## UROSID® Supra



Reference	Size (CH)	Length (cm)	Balloon volume (ml)	Colour	Units (ea)
645006	6	40	1.5	Brown	10
645008	8	40	3	Blue	10
645010	10	40	3 – 5	Black	10

## Closed urine drainage systems

### UROSID® 1000

This is a variant of the UROSID® 2000 S for use on paediatric patients



- Drip chamber with integrated non-return valve
- Cross valve
- Hydrophobic coated microfilter
- Bacteria and liquid-tight bag ventilation
- Needle-free urine sample collection port or collection with needle
- Sterile (EO)
- Free from natural rubber latex



Reference	Volume (ml)	Tubing length (cm)	Cross valve	Units (ea)
690270-N	1,000	90	Vertical	20

## Urine meters

### UROSID® M200 Single-Chamber Urine Meter

#### REF 690343-x

This is the paediatric version of UROSID® M3. It features a smaller bag and urine meter, perfect for use on young patients.



Reference	Volume bag (ml)	Volume urine meter (ml)	Tubing length (cm)	Feature	Units (ea)
690343	2,000	200	120	With needle	10
690343-N	2,000	200	120	Needle-free	10

## Irrigation syringes



### Piston irrigation syringe

This is a sterile (EO), graduated, disposable irrigation syringe with a straight catheter hub and luer adapter. It can be used with bladder catheters and stomach tubes (e.g. for bladder irrigation).

Reference	Volume (ml)	Units (ea)
620060	50 – 60	50
620100	100	25



### Irrigation bulb syringe

Ideal for use in clinical and surgical settings, this disposable irrigation bulb syringe facilitates easy gripping, thereby allowing for excellent one-handed use. Designed to stand on its end, it helps prevent leakage and maintain a clean environment.

Reference	Volume (ml)	Sterility	Units (ea)
DYNDE20127	60	Non-sterile	50
DYNDE20125	60	Sterile (EO)	25





# Gastro- enterological products



## Rectal tubes\*

These are straight intestinal catheters with two eyelets for administering enemas and draining intestinal gases.

Reference	Size (CH)	Length (cm)	Colour	Units (ea)
680418	18	40	Red	100
680422	22	40	Purple	100
680425	25	40	Blue	100
680428	28	40	Green	100
680430	30	40	Grey	100



## Enema kit

Medline's enema kit provides everything required for an enema.



Each kit includes:

- 1 bag with a tube, clamp and pre-lubricated tip, 1.5 l
- 1 packet of liquid soap, 9 ml
- 1 underpad, fluid-resistant, 42 x 45 cm



Reference	Volume (ml)	Tube length (cm)	Sterility	Units (ea)
DYNDE70100A	1,500	137	Non-sterile	48

\*Not available in AT, CH, HU, IT and UK
























**For more information** on our products, please contact your account manager or visit us at: [www.medline.eu/uk](http://www.medline.eu/uk)



**Medline Industries Ltd.**  
 3rd Floor  
 Quayside Wilderspool Business Park  
 Greenalls Avenue  
 Warrington WA4 6HL  
 United Kingdom  
 Tel.: +44 844 334 5237  
[www.medline.eu/uk](http://www.medline.eu/uk)  
[uk-customerservice@medline.com](mailto:uk-customerservice@medline.com)

**Medline Ireland Ltd.**  
 1 Grant's Row  
 Mount Street Lower  
 Dublin 2  
 Ireland  
 Tel.: +353 1 691 73 06  
[www.medline.eu/ie](http://www.medline.eu/ie)  
[ie-customerservice@medline.com](mailto:ie-customerservice@medline.com)

FOLLOW US  

- Kits S-01 to S-07xxxx are class I sterile medical devices.  Wujiang Kangxin Surgical Dressings Co.  0123 (TÜV SÜD)
- Kits S-08 to S-09xxxx are class IIa sterile medical devices.  Conod Medical Co., Ltd.  0123 (TÜV SÜD)
- UROSID® Silicone Foley Catheters are class IIb sterile medical devices.  Well Lead Medical Co., Ltd.  0123 (TÜV SÜD)
- UROSID® Sensor 400 Catheters are class IIb sterile medical devices.  Well Lead Medical Co., Ltd.  0123 (TÜV SÜD)
- UROSID® Latex Foley Catheters are class IIb sterile medical devices.  Well Lead Medical Co., Ltd.  0123 (TÜV SÜD)
- Aqua-SID® and Glyco-SID® are class I sterile medical devices.  Conod Medical Co., Ltd.  0123 (TÜV SÜD)
- Reference 647010-A is a class I sterile medical device, and 647010-U is a class I non-sterile medical device.  Well Lead Medical Co., Ltd.  0123 (TÜV SÜD)
- UROSID® Supra Catheters are class IIa sterile medical devices.  Well Lead Medical Co., Ltd.  0123 (TÜV SÜD)
- Intermittent catheters are class I sterile medical devices.  Medicoplast International GmbH  0482 (MEDCERT)
- UROSID® 2000 S is a class I sterile medical device.  Conod Medical Co., Ltd.  0123 (TÜV SÜD)
- UROSID® TUR-bag is a class I sterile medical device.  Conod Medical Co., Ltd.  0123 (TÜV SÜD)
- Urine meters are class I sterile medical devices with a measuring function.  Conod Medical Co., Ltd.  0123 (TÜV SÜD)
- UROSID® 20 is a class I sterile medical device.  Conod Medical Co., Ltd.  0123 (TÜV SÜD)
- UROSID® 24h is a class I sterile medical device.  Conod Medical Co., Ltd.  0123 (TÜV SÜD)
- The strap for UROSID® 24h is a class I non-sterile medical device.  Yasco Enterprise Corp. 
- UROSID® Leg Bags are class I sterile/non-sterile medical devices.  Conod Medical Co., Ltd.  0123 (TÜV SÜD)
- The piston irrigation syringe are class I sterile medical devices.  Anhui JN Medical Device Co., Ltd.  0197 (TÜV)
- Irrigation bulb syringe are class I sterile/non-sterile medical devices.  Medline International France SAS  2797
- UROSID® Foley Catheter are class IIb sterile medical devices.  Well Lead Medical Co., Ltd.  0123 (TÜV SÜD)
- UROSID® 1000 is a class I sterile medical device.  Conod Medical Co., Ltd.  0123 (TÜV SÜD)
- Rectal tubes are class I sterile medical devices.  Medicoplast International GmbH  0482 (MEDCERT)
- The enema kit is a class I non-sterile medical device.  Conod Medical Co., Ltd. 
- Adapter cables are class I non-sterile medical devices.  Well Lead Medical Co., Ltd. 
- Reference 690220 is a class I sterile medical device, and 690230 is a non-sterile medical device.  Conod Medical Co., Ltd.  0123 (TÜV SÜD)
- References 6906xx are sterile medical devices, and 6905xx are non-sterile medical devices.  Conod Medical Co., Ltd.  0123 (TÜV SÜD)
- The strap for UROSID® Leg Bags is a class I non-sterile medical device.  Comfort straps:  Yasco Enterprise Corp. Universal and standard straps:  Conod Medical Co., Ltd.

These products are intended to be used by healthcare professionals. Before use, consult instructions and precautions on the corresponding labelling.

Sources:  
 1. [https://www.rki.de/DE/Content/Infekt/Krankenhaushygiene/Kommission/Downloads/CAUTI\\_2015.pdf?\\_\\_blob=publicationFile](https://www.rki.de/DE/Content/Infekt/Krankenhaushygiene/Kommission/Downloads/CAUTI_2015.pdf?__blob=publicationFile)  
 2. Newman, R.K. (2023) Abdominal compartment Syndrome. <https://www.ncbi.nlm.nih.gov/books/NBK430932/>.